PRODUCT INFORMATION

Description 12-24V DOT LED Heated Amber Rear

Turn Light with Harness

 Height
 57.00 mm / 2.24 in

 Width
 165.50 mm / 6.52 in

 Depth
 21.00 mm / 0.83 in

Shape Oval

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing ColorBlackBezel ColorAmber

Mounting TypeGrommet/Flange BracketRetrofitsStandard 2" x 6" Signal Lights

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating 50 °C / 122 °F

Temperature

Mating Connector 3-Pin AMP Connector (282087-1)

Product Weight 0.35 lbs / 0.16 kgs

Additional Information Part Number Includes Wiring Harness

3270501









1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com www.msfoster.com


PRODUCT DIMENSIONS






Pin Out Information

LIGHT (Socket shown ↑ top)



WIRE HARNESS*



*Wire harness sold separately on Part # 0346711. Wire harness included on Part # 0346714. Also available as a single accessory (Part # 3270501)

**To operate heating circuit on the Turn Signal Lamp, a separate constant 12V DC power line must be wired.



1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com www.msfoster.com

ELECTRICAL SPECIFICATIONS

Input Voltage10-30V DCOperating Voltage12-24V DC

Transient Spike Protection 150V Peak @ 1 HZ-100 Pulses

White Wire Ground

Black Wire Heater Only

Red Wire Amber Rear Turn

Current Draw 0.45A @ 12V DC (Turn)

0.30A @ 24V DC (Turn) 0.85A @ 12V DC (Heater) 0.55A @ 24V DC (Heater)

REGULATORY STANDARDS COMPLIANCE











Buy America Standards FMVSS 108 Table VII

Tested to ECE Reg. 10 (Radiated Emissions only)

Eco Friendly SAE |588

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Turn (Rear)

APPLICATIONS









1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313
sales@msfoster.com
www.msfoster.com

INSTALLATION & APPLICATION INFORMATION

Installation requires the black wire (for the heater) to be connected to a constant power source in order for the heater to work. Turn off power before installing.

ACCESSORIES



Part Number

4242891



Rubber Mounting Plastic Mounting Grommet for Model Flange for Model 274 274



<u>Part Number</u> 8200581

Steel L-Shaped Mounting Bracket for Model 274



Part Number 8200591

Chrome Plastic Trim Ring for Model 274



Part Number 3270501

3-Pin AMP Connector (#282087-1) Wire Harness Assembly



www.msfoster.com

RELATED PRODUCTS



Part Number 0346701 12-24V DOT LED Heated Red Stop, Tail,

& Turn Light



Part Number 0346704 12-24V DOT LED Heated Red Stop, Tail, & Turn Light with

Harness



0346711 12-24V DOT LED Heated Amber Rear Turn Light

Part Number



Part Number 0346721 12-24V DOT LED Heated White Reverse Light



Part Number 0346724 12-24V DOT LED Heated White Reverse Light with Harness



Part Number 0346781

12-24V DOT LED Heated Amber Front Position & Front Turn Signal Light



Part Number 0346784

12-24V DOT LED Heated Amber Front Position & Front Turn Signal Light with Harness



<u>Part Number</u> 0346791

12-24V DOT LED Heated Amber Side Marker Light



1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com www.msfoster.com