# LED Work Light - Model 735

### PRODUCT INFORMATION

**Description** 12-24V LED Work Light with Spot Beam

Pattern

 Height
 137.16 mm / 5.4 in

 Width
 144.27 mm / 5.68 in

 Depth
 66.04 mm / 2.6 in

**Shape** Oval

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Die-Cast Aluminum

Housing Color Black

Mounting Hardware Description (x1) 5/16"-18 x 0.58" Mounting Bolt

Mounting Type Universal Pedestal Mount

Minimum Operating -40 °C / -40 °F

**Temperature** 

**Maximum Operating** 65 °C / 149 °F

**Temperature** 

**Connector or Wiring** Integrated 2-Pin Deutsch Weather-Proof

Socket (DT04-2P)

**Mating Connector** 2-Pin Deutsch Weather-Proof Plug

(DT06-2S)

**Product Weight** 1.87 lbs / 0.85 kgs **Shipping Weight** 1.87 lbs / 0.85 kgs






1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com www.msfoster.com

## LED Work Light - Model 735

### **PRODUCT DIMENSIONS**



## **ELECTRICAL SPECIFICATIONS**

**Input Voltage** 12-24V DC **Operating Voltage** 10-36V DC **Red Wire** Positive **Black Wire** Negative

**Current Draw** 3.50A @ 12V DC 1.75A @ 24V DC

## REGULATORY STANDARDS COMPLIANCE







Buy America Standards IEC IP69K

Eco Friendly



1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225 TOLL FREE 888.452.4053 FAX 219.879.9313

> sales@msfoster.com www.msfoster.com

## LED Work Light - Model 735

### PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 3,900 **Effective Lumen** 2,600

Output


**Nominal LED Color** 

**Temperature** 

Beam Pattern(s)

5700 K

Forward Lighting - Spot



## **APPLICATIONS**













### **RELATED PRODUCTS**



**Part Number** 1706581 with Trapezoid Beam Pattern



**Part Number** 

1706591 12-24V LED Work Light 12-24V LED Work Light with Flood Beam Pattern



1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225 TOLL FREE 888.452.4053 FAX 219.879.9313

> sales@msfoster.com www.msfoster.com