PRODUCT INFORMATION

Description 12-36V LED Red Stripe Zone Light

 Height
 48.00 mm / 1.89 in

 Width
 150.00 mm / 5.91 in

 Depth
 63.00 mm / 2.48 in

ShapeRectangularOuter Lens MaterialPolycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlackBezel ColorBlack

Mounting Hardware Description (x1) 5/16"-18 x 1.00" Mounting Bolt

Bracket

Mounting Type Pedestal

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Connector or Wiring Deutsch DT04-2P

Mating Connector Deutsch DT06-2S with harness included

with flying leads

Product Weight 0.79 lbs / 0.36 kgs **Shipping Weight** 1.10 lbs / 0.5 kgs






1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225 TOLL FREE 888.452.4053 FAX 219.879.9313

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage12-36V DCOperating Voltage10-45V DC

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses

Black Wire Ground Red Wire Power

 Current Draw
 1.60A @ 12V DC

 0.60A @ 24V DC

0.57A @ 36V DC



1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225 TOLL FREE 888.452.4053 FAX 219.879.9313

REGULATORY STANDARDS COMPLIANCE







Buy America Standards IEC IP67

Tested to ECE Reg. 10 (Radiated Emissions only)

Eco Friendly IEC IP69K

UL Recognized

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,130 **Effective Lumen** 317

Output

Candela Output 3,150

Beam Pattern(s) Warning - Keep Out Zone

Pattern: 10ft x 5in 20ft x 10in 40ft x 20in Max Lux: 1120 490 110

APPLICATIONS





















1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

RELATED PRODUCTS











Part Number 1603641 Zone Light

Part Number 1603651 12-36V LED Blue Stripe 12-36V LED Amber Stripe Zone Light

Part Number 1603662 12-36V LED Red Stripe Zone Light (Bulk)

Part Number 1603672 12-36V LED Red Stripe Zone Light with Large Bracket (Bulk)

Part Number 1603681 12-36V LED Red Stripe Zone Light with Shroud



1040 Highway 212 Michigan City, IN 46360

OFFICE 219.879.9225 TOLL FREE 888.452.4053 FAX 219.879.9313