#### PRODUCT INFORMATION

**Description** 12-24V DOT LED Heated White Reverse

Light with Harness 57.00 mm / 2.24 in 165.50 mm / 6.52 in

21.00 mm / 0.83 in

**Shape** Oval

Outer Lens Material Polycarbonate

Outer Lens Color Clear

**Housing Material** Polycarbonate

Housing Color Black

Bezel Color Clear

Mounting TypeGrommet/Flange BracketRetrofitsStandard 2" x 6" Signal Lights

**Minimum Operating** -40 °C / -40 °F

Temperature

Height

Width

Depth

**Maximum Operating** 50 °C / 122 °F

**Temperature** 

**Mating Connector** 3-Pin AMP Connector (282087-1)

**Product Weight** 0.35 lbs / 0.16 kgs

**Additional Information** Part Number Includes Wiring Harness

3270501









1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com www.msfoster.com


#### **PRODUCT DIMENSIONS**






#### **Pin Out Information**

LIGHT (Socket shown ↑ top)



### **WIRE HARNESS\***



\*Wire harness sold separately on Part # 0346721. Wire harness included on Part # 0346724. Also available as a single accessory (Part # 3270501)

\*\*To operate heating circuit on the Reverse Lamp, a separate constant 12V DC power line must be wired.



1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313
sales@msfoster.com

www.msfoster.com

#### **ELECTRICAL SPECIFICATIONS**

Input Voltage10-30V DCOperating Voltage12-24V DC

**Transient Spike Protection** 150V Peak @ 1 HZ-100 Pulses

White Wire Ground
Black Wire Heater Only
Red Wire Reverse

**Current Draw** 0.65A @ 12V DC (Reverse)

0.35A @ 24V DC (Reverse) 0.80A @ 12V DC (Heater) 0.45A @ 24V DC (Heater)

#### **REGULATORY STANDARDS COMPLIANCE**











Buy America Standards FMVSS 108 Table XII Tested to ECE Reg. 10 (Radiated Emissions only) Eco Friendly SAE J593

## **APPLICATIONS**







### **INSTALLATION & APPLICATION INFORMATION**

Installation requires the black wire (for the heater) to be connected to a constant power source in order for the heater to work. Turn off power before installing.



1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com www.msfoster.com

**ACCESSORIES** 



### <u>Part Number</u> <u>4242891</u>

Rubber Mounting Grommet for Model 274



### <u>Part Number</u> <u>5870261</u>

Plastic Mounting Flange for Model 274



### Part Number 8200581

Steel L-Shaped Mounting Bracket for Model 274



### Part Number 8200591

Chrome Plastic Trim Ring for Model 274



# Part Number 3270501

3-Pin AMP Connector (#282087-1) Wire Harness Assembly



1040 HIGHWAY 212 Michigan City, IN 46360

OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313

sales@msfoster.com

www.msfoster.com

#### **RELATED PRODUCTS**



Part Number 0346701 12-24V DOT LED Heated Red Stop, Tail,

& Turn Light



Part Number 0346704 12-24V DOT LED Heated Red Stop, Tail, & Turn Light with Harness



Part Number 0346711 12-24V DOT LED Heated Amber Rear Turn Light



Part Number 0346714 12-24V DOT LED Heated Amber Rear Turn Light with Harness



Part Number 0346721 12-24V DOT LED Heated White Reverse Light



Part Number 0346781 12-24V DOT LED Heated Amber Front Position & Front Turn Signal Light



Part Number

0346784 12-24V DOT LED Heated Amber Front Position & Front Turn Signal Light with Harness



Part Number 0346791 12-24V DOT LED Heated Amber Side Marker Light



OFFICE 219.879.9225
TOLL FREE 888.452.4053
FAX 219.879.9313
sales@msfoster.com
www.msfoster.com